



EDCTP

The power of sharing science



THE AGA KHAN UNIVERSITY

University of the Witwatersrand

WITS RHI



COREP

Determining the epidemiological parameters of COVID-19 through sero-surveillance with Dried Plasma Spots and nested household transmission studies in rural Kenya and South Africa

RIA2020EF- 3026

Webinar -18.03.2021.

**EDCTP COVID-19 Emergency Funding Mechanism:
Collaborative clinical research studies in sub-Saharan
Africa**

Joy Mauti and Till Bärnighausen

Alain Vandormael, Anthony Ngugi, Ben Kitole, **Catherine Martin**, Caroline Gichuki, David Anderson, Dieyna Drame, Evaline Lang'at, Emili Letang, **Eunice Irungu**, Feng Yi, Francis Ndungu, Gijs Walraven, **Gloria Maimela**, Julia Rohr, John Kiiru, **Matthew Chersich**, Maureen Kimani, Shaheen Sayed, **Stanley Luchters**.



Rationale and objectives

FOCUS ON POPULATION EPIDEMIOLOGY AND SCREENING APPROACHES


1. Define epidemiological parameters of COVID-19 infection in rural Kenya and South Africa, including the reproductive number, transmissibility, clinical disease spectrum and population-level incidence
2. Identify the burden of COVID-19 disease in rural areas of sub-Saharan Africa, and risk factors for infection and transmission
3. Establish the diagnostic performance, feasibility, usability and cost-effectiveness of Dried Plasma Spot samples collected at community level through fingerpricks by community health workers, followed by centralised serological testing

Study communities

SOUTH AFRICA SITE



KENYA SITE



Study populations

- Assumed primary COVID-19 cases (confirmed through NHLS).
- Consenting household members (15 – 20 households, ~120 participants).
- Cases will be contacted telephonically and invited to participate.
- Informed consent will be obtained from:
 - Primary cases,
 - Household members,
 - Parents or guardians in the case of children under 18 years.

Study methods (I)

- Enrolled household cases and their household contacts will complete data and specimen collection at enrolment (day 1) and for 28 days of follow-up, with four household visits in total
- Semi-structured questionnaire:
 - Primary case and adult household members day 1, 7, 14 and 28.
- Symptom diaries:
 - Daily, day 1 – 28.
- Offer of HIV testing and counselling (but not a requirement)

Study methods (II)

- Molecular and serology assessments
- Household members day 1, 7, 14 and 28
- Serum sample (DBS in children <12years) – SARS-CoV-2 antibody test
- Respiratory sample – molecular PCR for SARS-CoV-2



■ Study methods (III)

- Specimen will be collected at the household
- If no suitable testing room, patient to be transported to nearest facility where study team will collect specimens
- Laboratory testing to be undertaken by BARC laboratory
- Full PPE provided for study team

■ Study data and analysis

- Data collected will be used to:
 - Calculate the length of the period of transmissibility
 - Calculate the reproductive number
 - Investigate the disease spectrum, especially rates of asymptomatic infections
 - Assess risk groups for infection and for disease.
 - Estimate the understanding and implementation of preventative behaviours
 - Estimate potential vaccine uptake and hesitancy

Study milestones

Activity	Sites and Dates
Obtaining Ethical Approval & Research permits at national and local level.	<ul style="list-style-type: none">• South Africa (10.2020, 01.2021, 03.2021)• Germany (11.2020, 01.2021)• Kenya (11.2020, 01.2021, 03.2020)
Establishment of the Laboratory Teams	<ul style="list-style-type: none">• Both Sites (10.2020)
Establishment of the Data Management Team	<ul style="list-style-type: none">• Joint Team (11.2020)
Recruitment & Training of Study Teams	<ul style="list-style-type: none">• Kenya (01.2021 -02.2021)• South Africa (02.2021 -03.2021)
Establishments of Community Advisory Boards	<ul style="list-style-type: none">• Both Sites – 03.2021
Preparing to publish the Study Protocols	<ul style="list-style-type: none">• Kenya – 02.2021
Development of a preliminary Statistical Analysis Plan	<ul style="list-style-type: none">• Germany -01.2021
Onset of Fieldwork	<ul style="list-style-type: none">• Both Sites – 04.2021
Incorporated in the WHO Unity studies	<ul style="list-style-type: none">• 02.2021

WHO Unity Studies

- The UNITY Studies promote standardized methods that enable the global community to collectively address knowledge gaps and inform an evidence-based COVID-19 response
- Unity studies are a valuable tool for research equity

Household transmission investigation protocol for
coronavirus disease 2019 (COVID-19)

Version: 2
Date: 28 February 2020
Contact: EarlyInvestigations-2019-nCoV@who.int



Population-based age-stratified seroepidemiological investigation
protocol for COVID-19 virus infection

Version: 1.1
Date: 17 March 2020
Contact: EarlyInvestigations-2019-nCoV@who.int



Team – South Africa Site



Gloria Mailema
Principal Investigator



Catherine Martin
Principal Investigator



Matthew Chersich
Co-Investigator



Modiehi Mopeli
Research Nurse



Emly Lekitlane
Fieldworker



Shobna Sawry
Epidemiologist




Nkululeko
Mngomezulu
Data Manager

Team – Kenya Study Site



Stanley Lutchers
Principal Investigator



Eunice Irungu
Study Co-ordinator



Anthony Ngugi
Co-Investigator



Claire Otieno
Research Nurse



Ben Kitole
Co-Investigator

Other Partners



UNIVERSITY OF THE
WITWATERSRAND,
JOHANNESBURG



W
UNIVERSITY *of*
WASHINGTON